

# **SYS 7**

# **Setup**

+

## **Quick Start tips**



**Rev A**  
**11/12/2008**

**CARVIN**  
**carvinservice.com**

## SYS7

- (1) C1644P
- (2) LM12
- (2) PRO50S Cables

### AC cable



Plug in the AC cord, push firmly



### Amp/Mixer connection 1



C1644P

LM12

Connect 1/4 inch cable from C1644P to LM12

### Amp/Mixer Connection 2



C1644P

LM12

Connect 1/4 inch cable from C1644P to LM12


Note: That only 2 of total of 4 Powered Output channels are being used.

The C1644P has a soft start, meaning it takes 3 seconds to fully engage the sound.

**CAUTION** – Always be certain that you are using genuine 1/4 speaker cables when connecting your amplifier to a speaker; using standard shielded guitar cables or “patch cords” will cause damage to your equipment (note - Carvin genuine speaker cables will typically have grey shrink wrap on the plug ends)

# Quick Start Tips

## Connection Tips




- After connecting the speakers, and AC cord.
- Plug in Mic, or instrument into input Channel 1 of mixer.

## Ch1 Routing button




- Press the L-R button, and turn up slider Channel # 1.

## Master L-R select




- Press the L-R button, in the Master Board

## Routing Select



- Routing button OUT, this button is located in the back of the mixer.

## Master Sliders



- Turn up the Master Sliders (L) left, (R) right. You are ready to go!

Comments or questions email us at [carvinservice@carvin.com](mailto:carvinservice@carvin.com)